TECHNICAL REPORT OF ENERGY AUDIT



Submitted to

ADICHUNCHANAGIRI INSTITUTE OF TECHNOLOGY, CHIKKAMAGALURU – 577 102, KARNATAKA.

Date of Audit: 22.06.2022

Submitted by











NATURE SCIENCE FOUNDATION (A Unique Research and Development Centre for Society Improvement) ISO 9001:2015, 14001:2015, 45001:2018 & 50001:2018 Certified and MSME Registered Organization 2669, LIG-II, Gandhi Managar, Peelamedu, Coimbatore - 641 004, Tamil Nadu, India. Phone: 0422 2510006, Mobile: 9566777255, 9566777258 Email: director@nsfonline.org.in, directornsf@gmail.com

S.No.	Details of Reports	Page No
1.	Introduction	1
2	Need for an Energy Audit	2
3.	Aims and Objectives of an Energy Audit	3
4.	Benefits of an Energy Audit	4
5.	Procedures followed in an Energy Audit	5
6.	Types of Energy Audit	6
6.1.	Preliminary Energy Audit Methodology	6
6.2.	Detailed Energy Audit Methodology	6
6.3.	Potential and Magnitude of Energy Audit	7
6.4.	Comprehensive Energy Audit	7
7.	Carbon footprint by measuring Carbon dioxide level in the	8
0	Campus	11
8.	Energy Audit Process	11
8.1.	Steps involved in an Energy Audit	11
8.2.	Systems studied during the Energy Audit	11
8.3.	Planning and organizing the Energy Audit	11
8.4.	Walk-through Audit Process	12
8.5.	Macro Data collection and observation	12
8.6.	Measurements in the Energy Audit process	13
9.	About the Institution	12
10.	Audit Details	17
11.	Observations of the Energy Audit	17
11.1.	Facilities visited during the Energy Audit	18
11.2.	Systems Studied during the Energy Audit	18
11.3.	Energy Consumption and Cost Profile	19
11.4.	Power supply Equipment and Major Load	18
11.5.	Quantitative and Qualitative Measurement	27
11.6.	Measurement of Carbon dioxide level in the Campus	30
11.7.	Ways to reduce Carbon Footprint	32
11.8	Light Intensity Measurement	33
12.	Best Practices followed in the Organization	34
13.	Recommendations for improving the energy efficiency and energy conservation in the Organization	39
14.	Recommendations on Carbon Footprint in the Organization	40
15.	Conclusions	41
16.	Acknowledgement	41
17.	References	41
18.	Certificates of Nature Science Foundation	43
19.	Certificates of Energy Auditors	54

1. Introduction

An energy audit is a survey in which the study of energy flows for the purpose of conservation is examined at an Organization. It refers to a technique or system that seeks to reduce the amount of energy used in the Organization without impacting the output. The audit includes suggestions of alternative means and methods for achieving energy savings to a greater extend. Conventionally, electrical energy is generated by means of fossil fuels, hydraulic and wind. The availability of fossil fuels and their depletion rate, insist the need for alternate energy systems and conservation of electric energy. In general, the primary objective of an energy auditing and management of energy consumption is to offer goods or services at the lowest possible cost and with the least amount of environmental impact (Backlund and Thollander, 2015). The need for an energy audit is to identify the savings potential and cost reducing methods, understand the ways in which fuel is used, where, the waste occurs and find the scope for improvement.

An energy audit is proposed and conducted to ensure that energy saving practices are implemented and followed in Educational Institutions and Industrial sectors in a sustainable way. Preparation and completion of a questionnaire, physical examination of the campus, observation and examination of documentation, key person interviews, data analysis, measurements and suggestions are all part of the audit process. Energy audit involves several facts including energy savings potential, energy management, finding alternatives, etc. (Cabrera *et al.*, 2010) With these facts in mind, the audit's specific objectives are to assess the competence of the sustainability management and control system, as well as the departments" compliance with applicable rules, policies, and standards. It has the potential to have a significant influence on the organization"s operational cost as well as the environmental impact (Singh *et al.*, 2012).

Energy Conservation Building Code (ECBC) is established in the year 2017 which provides minimum requirements for the energy-efficient design and construction of buildings across India. It also provides two additional sets of incremental requirements for buildings to achieve enhanced levels of energy efficiency that go beyond the minimum requirements (Gnanamangai *et al.*, 2021). Bureau of Energy Efficiency (BEE) came into force in 2002 towards implementation of energy saving practices in an Organization. Energy-efficiency labels are information affixed to manufactured products and usually communicate the product energy performance (Ingle, 2014). BEE has developed a scheme for energy efficiency labelling of buildings coinciding with the star ratings of the building at accelerating energy efficiency activities. BEE Star Rating Scheme is based on actual performance of the building as well as equipment in terms of specific energy usage termed as

"Energy Performance Indicator" by means of star ratings labelled items used which will be useful for energy savings in a sustainable manner (Mishraand and Patel, 2016).

Energy audit programme provide aid in maintaining a focus on energy price variations, energy supply availability and efficiency, determining an appropriate energy mix, identifying energy-saving technology, retrofitting for energy-saving equipment and so on. In general, an energy audit process dealt with the driving conservation concepts into reality by giving technically possible solutions within a specified time limit while also considering the economic and other organizational issues (Asnani and Bhawana, 2015). It also dealt with the uncover ways to cut operating expenses or reduce energy use per unit of production in terms of savings. It serves as a "benchmark" (reference point) for managing energy in the organization for planning more energy-efficient use across the board (Cabrera *et al.*, 2010).

2. Need for an Energy Audit

In an organization, the top three operating expenses are energy labour and materials. Relating the manageability of the cost or potential cost savings in each of the above components, energy management is found to be the top ranker, and thus energy management constitutes the essential part in reducing the cost. Energy Audit helps in understanding the ways energy and fuel are being used in any organization, and identifies the areas where wastes occur and the scope for improvement exists. The Energy Audit gives a positive orientation to the energy cost reduction, preventive maintenance quality control programmes and will help to keep focus on variations which occur in the energy Costs, availability, and reliability of supply of energy. The main objective of Energy Audit is to find ways to reduce energy consumption per unit of product output. The Energy Audit provides a "bench-mark" (Reference point) and a basic planning for managing energy and for more effective use of energy throughout the organization.

The Ecofriendly-campus concept essentially focuses on the efficient use of energy conservation and its savings opportunities in a sustainable way. It also gives importance for reduction of contribution to carbon emissions, carbon footprint calculation, use of star rated equipment, encouraging energy use conservation practices in all buildings, reduce the organization''s energy consumption, reduce wastes to landfill, and integrating environmental considerations into all contracts and services considered to have significant environmental impacts.

Auditing for Energy Management may be studied in terms of energy savings and opportunities. In general, energy cannot be seen, but we know it is there in wire, pipes and other non-living materials because it shows visible effects in the forms of heat, light and power. The energy consumption, energy sources, energy monitoring, lighting, vehicle movement, electrical and electronics appliances, and transportation are addressed by this indicator. Energy usage is an important aspect of campus sustainability and requires no explanation for its inclusion in the assessment. However, energy saving, and opportunities may be taken into consideration while energy is extensively used. An old incandescent bulb uses approximately 50W to 100W while an energy efficient LED uses only less than 10W which shows the positive indication on energy savings. Energy auditing deals with the conservation methods to reduce its consumption related to environmental degradation. In addition, suggestions and recommendations might be given after auditing which in turn useful for energy savings. Thus it is essential for any environmentally responsible institution to examine its energy use practices at least once in two or three years using internal and external auditors.

The conduct of energy audit using internal and external energy auditors is playing important role in any organization in terms of energy management. The Energy audit is able to measure the impact of energy potential in an organization so that it helps in determining the better ways to manage the impact on environment. In addition to liquid and solid wastes, biomedical and electronic wastes energy potential and biodiversity audits, attempts may be made to measure the carbon footprint in the organization based on the amount of carbon emissions created by the electrical appliances, vehicles, and human population. It takes into consideration the measure of bulk of CO_2 equivalents exhaled by the organization by which the carbon footprint accounting is done. It is necessary to know how much the organization is contributing towards sustainable development in terms of energy management is being done. It is therefore recommended to measure the carbon footprint in each organization which may be useful for maintaining the ecofriendly campus to the stakeholders.

3. Aims and Objectives of an Energy Audit

An energy audit is a useful tool for developing and implementing comprehensive energy management plans of an organization. The aim of an energy audit is to identify the energy efficiency, conservation, and savings opportunities at the premises of the audit sites in a systematic manner. The audit process is carried out as per the following.

- Review of energy saving opportunities and measures implemented in the audit sites.
- Identification of additional various energy conservation measures and saving opportunities.
- Implementation of alternative energy resources for energy saving opportunities and decision making in the field of energy management.
- Providing a technical information on how to build an energy balance as well as guidance to be sought for particular applications.
- Detailed analysis on the calculation of energy consumption, analysis of latest electricity bill of the campus, understanding the tariff plan provided by the central and State Electricity Board.
- List ways that the use of energy in terms of electricity, electric stove, kettle, microwave, LPG, firewood, Petrol, diesel and others.
- Analysis of electricity bill amount for the last two to three years, amount paid for LPG cylinders for last one year and amount paid for water consumption for human beings and watering to the plants.
- Use of incandescent (tungsten) bulb and CFL bulbs, fans, air conditioners, cooling apparatus, heaters, computers, photo copiers, inverter, generators and laboratory equipment and instruments installed in the organization (for example- 60 watt bulb x 6hours x number of bulbs = kwh).
- Alternative energy sources / nonconventional energy sources are employed / installed in the organization (photovoltaic cells for solar energy, windmill, energy efficient stoves, Biogas, etc.).

• Creating awareness among the stakeholders on energy conservation and utilization.

4. Benefits of an Energy Audit

- Reduced Energy Expenses: The most obvious benefit is that the less energy the Organization uses, the less money that the Organization will have to spend on energy costs.
- Identify Problems: An energy audit can also help to identify any issues that the equipment might have. For example, the auditor could find small leaks in the compressed air system. These leaks would cost a significant amount of money if it is not noticed. Auditors can also detect dangerous health risks like the carbon monoxide that"s emitted from equipment that hasn"t been vented properly. With a regular energy audit, the organization will be able to address these kinds of issues promptly to help ensure the health and safety of the staff members.
- Increased Employee Comfort: During the audit, the Organization might learn about changes that have been made regarding insulation and air sealing. Completing these enhancements will help create a more reliable and more efficiently cooled or heated space for the employees. In turn, more comfortable employees tend to be more productive, so not only will the Organization save on energy costs, but may also improve overall well-being.
- Personalized Recommendations: Working with an energy expert can help learn about new energy-efficient technologies. The professional will customize a plan, recommending which upgrades will give the most return on investment. These might include updated lighting systems, a new HVAC system, weatherization measures like insulation and air sealing, and more. While some of the recommendations might have a substantial up-front cost that many of them will pay for themselves in a short period of time with significantly reduced energy expenses.
- Show Environmental Concern: By taking steps to be more energy efficient, the Organization will be showing the employees and clients that the organization cares about the impact on the environment.
- Increased Property Value: Using the recommendations of an energy auditor to make facility more energy efficient could also help to increase its overall worth. Things like solar panels, high-efficiency LED lighting, and weatherization procedures are all things that contribute to a higher property value.
- Longer Equipment Lifespan: An energy auditor might recommend to update some of the equipment for maximum energy savings. If the Organization decide to upgrade, it will not only save on energy costs, but also expect the equipment to last a long time. This is because newer, more energy-efficient equipment doesn't have to work as hard as older, outdated units to provide the same level of performance.
- Energy audit evaluation: Energy audits will evaluate the Organization "as a whole", the aim is to consider a wide range of available alternatives (Electrical, Mechanical, Thermal Water and Transportation).

- > Energy audit Opportunities: The audit will not only inform about the opportunities but also provide information with financial analysis. This will enable prioritization based on financial benefit and return on investment. It provides technical information regarding the proposed energy conservation measures.
- Analysing the quality of Energy Audit: A good quality audit will investigate the historical energy usage and find the essential issues using statistical methods. It Provides information with emissions analysis to help understand the benefits of the decisions from an environmental standpoint. The audit provides benchmark information to help compare the energy use performance with others.

5. Procedures followed in an Energy Audit

In order to conduct an energy audit, several methods are adopted in the audit sites in which walk-through audit is conducted. The balance of total energy inputs with total energy outputs and identification of all energy streams in a facility are taken into account. The amount of energy used by each of its energy streams are calculated as per the methodology mentioned in the Manual of Gnanamangai et al. (2021). The top three operating expenses of the Organization are typically observed to be energy (both electrical and thermal), labour and materials. During the audit, physical verification of Lighting, Ceiling, Table and Exhaust Fans, A/C machines, Solar panels, Heaters, Generators, Uninterrupted power supply machines and ventilators load fixtures and verification of installed energy efficient system"s capacities are carried out. Inspection of when the cost or prospective cost savings in each of the above components are considered, energy always wins, and the energy management task becomes a key cost reduction area. The energy audit assisted in better understanding how energy and fuel are used in the Organization as well as identifying waste factors and development potential towards energy savings opportunities. Finally after the audit process, the energy audit included suggestions for energy cost reduction, preventive maintenance and quality control activities, all of which are critical for the utility operations in the auditee (Organization).

The audit involved visiting the campus and physical verification of the loads and sources installed. The entire campus is divided into different sections and those sections are audited in which electrical fittings and energy supply are monitored. The production process flow is studied and electricity consumption are measured. Location of the electrical machines, conditions of them and their accessories are inspected through physical verification is observed as per the regulation of Indian Green Building Council (IGBC, 2021) and World Green Building Council (WGBC, 2021). The energy bill from the supply utility company (Example: Tamil Nadu Electric Generation and Distribution Corporation Limited, Chennai) is audited and assessed for the load demand requirement and efficient consumption of energy. Stakeholders are interacted with the scope for improvement and energy management during the audit. Potential areas in which the scope of energy conservation and saving opportunities available in the current context have been identified and suggested for implementation to the Organization. The level of carbon dioxide might be measured in different places across the Organization campus using a portable CO₂ Analyzer to calculate the carbon footprint. It may be useful to check where carbon emission is

prominent which could be taken into account to reduce.

The audit involves visiting physical position of load & carry out inventory of load. Due measurement of electrical load of equipment & circuit is carried out. Energy bill received from TNEB is audited & studied for KWH requirement & how efficiently energy is used. Various positions are interacted, familiarized with energy audit & involved for successful & result oriented energy audit. Energy conservation & saving opportunities are identified during round & measurement for implementation.

6. Types of Energy Audit

The Energy Audit types depends on the following factors:

- Industry/ Organization type and its function
- Intense and the extent to which final audit is required, and
- The magnitude of cost reduction

Thus Energy Audit can be classified into the following types.

- 1) Preliminary Energy Audit
- 2) Detailed Energy Audit
- 3) Potential and magnitude of Energy Audit
- 4) Comprehensive Energy Audit

6.1. Preliminary Energy Audit Methodology

Preliminary energy audit gives a quick access to:

- Estimating and establishing energy consumption in the organization
- Estimate the scope of audit
- Identify the areas of maximum energy consumption
- Identify the areas of improvement
- Setting benchmark
- Performing Preliminary energy audit uses existing data.

6.2. Detailed Energy Audit Methodology

The detailed Energy audit offers the most accurate estimation of energy savings and cost. A comprehensive audit provides a detailed energy implementation plans for a facility, as it evaluates all major energy consumption systems.. It considers the effects of all projects, accounts for the energy use of all major equipment, and includes detailed energy cost saving calculations and project cost. Energy Balance is the key element in detailed energy audit. The estimated use is compared to utility bill charges. There are three phases in detailed energy audit

- Phase I Pre Audit Phase
- Phase II Audit Phase
- Phase III Post Audit Phase

6.3. Potential and Magnitude of Energy Audit

A systematic and structured method is necessary for an efficient working of energy audit process. An initial site study is carried out for planning the procedures necessary for an audit.

Initial Site Study and Preparation for Detailed Auditing

An initial site study visit might take one or two days and gives the Energy Auditor an opportunity to meet the concerned person (Auditee), to familiarize with the site and to assess the procedures necessary to carry out the energy audit.

During the initial site visit the Energy Auditor carries out the following actions: -

- Discussing the aims of the energy audit with the audit study site's management.
- Discussing the economic factors associated with the recommendations of the audit.
- Analysing the major energy consumption data with the concerned person.
- Obtaining the available audit site drawings building layout, electricity distribution, steam distribution, compressed air distribution, etc.
- Conducting Walk-through audit around site.

The main aims of this visit are:

- Finalising the Audit team members
- Identifying and analysing the main energy consuming areas during the audit.
- Identifying existing instrumentation/ additional metering required.
- To decide if any meters will have to be installed prior to the audit eg. kWh, steam, oil or gas meters.
- Identifying the instruments required for carrying out the audit.
- Planning the time management
- Collecting the macro data on major energy consuming areas.
- Conducting awareness meetings/ programmes.

6.4. Comprehensive Energy Audit

A comprehensive audit can take from several weeks to several months depending on the nature and complexity of the site to complete the audit process. Detailed study is carried out to establish, and investigate, energy and material balances for specific departments. Possible checks of plant operations were carried out over extended periods of time, at nights and at weekends as well as during normal daytime working hours, to ensure that nothing is overlooked.

The audit report includes list of energy inputs and product outputs by major department or by major processing function and estimates the efficiency of each step of the Organization. The methods for improving the efficiency will be listed, and it also includes preliminary assessment of the cost of the improvements and expected payback on any capital investment needed. The audit report concludes with specific recommendations for detailed engineering studies and feasibility analysis. The comprehensive energy audit is useful in identifying the major energy consuming areas to be surveyed during the audit and to identify any existing instrumentation/ additional metering required. Proper care should be taken while identifying the

instrumentation required for carrying out the audit and to plan the time management for collecting the macro data from energy consuming areas. The audit report is definitely useful for energy management.

The information to be collected during the detailed audit includes:

- 1. Energy consumption by type of energy, by department/area, by type of process equipment, by end-use
- 2. Energy cost and tariff data
- 3. The distribution and generation of site services (eg. Electricity, Compressed air, steam).
- 4. Sources of energy and its supply (e.g. electricity from the grid or self-generation)
- 5. Potential alternative for fuel substitution, process modifications, and the use of co-generation systems (combined heat and power generation).
- 6. Energy conservation and management awareness training programs within the Organization.

The audit team collects the following baseline data:

- Major Equipment details, process/technology used
- Water consumption
- Fuel usage
- Capacity utilisation
- Electrical energy consumption
- Steam consumption
- Yield/ Efficiency

7. Carbon footprint by measuring Carbon dioxide level in the Campus


The level of Carbon dioxide is measured in different places across the Organization campus using a portable CO₂ Analyzer (Non dispersive infra-red meter). In addition, CO₂ meter is also displayed the readings of atmospheric temperature, relative humidity, and dew point in the places, where the level CO₂ is measured. The meter started measurements of CO₂ level in the atmosphere after powered ON and updated the readings every second in the display screen. If the operating environment is changed (example from high to low temperature) which took 30 seconds for CO₂ sensor to respond and 30 minutes for flexibility in relative humidity. The meter features an audible alarm to give warnings when CO₂ concentration exceeds the set limit. It emits beeps (Abt.80Db) when CO₂ level goes over the set value and stops when any key (except SET) is pressed, or the readings fall below the set values.

The Carbon footprint per year is calculated (www.carbonfootprint.com) based on electricity usage per year in which CO_2 emission from electricity and the sum of transportation per year in terms of number of the shuttle buses service operated by the Organization and number of cars, motorcycles and trucks entering in the Organization campus. These factors are multiplied with total number of trips in each day and approximate travel distance of vehicles covered in each day with a coefficient (0.01) to calculate the emission of CO_2 in metric tons per year.

Humans contribute to a massive increase of carbon dioxide emissions by burning fossil fuels, deforestation, and other industrial activities. Methane (CH₄) is largely released by coal, oil, and natural gas industries. Anthropogenic activities are responsible for almost all of the increase in greenhouse gases in the atmosphere over the last 150 years. The largest source of greenhouse gas emissions from human activities is from burning fossil fuels for electricity, heat, and transportation.



Calculating Carbon Foot Print



The Methodology of the Audit is presented in the following chart

Flow chart of Energy Audit Methodology

8. Energy Audit Process

Energy audit is a sequence of tasks performed in a planned manner. It requires discussion, survey, collection of data, analysis, and reporting.



Opening Meeting for the conduct of Energy audit

8.1. Steps involved in an Energy Audit

- Step 1: Opening meeting among the audit team and auditees
- Step 2: Planning and organizing the energy audit
- Step 3: Conduct a walk-through audit at different sites
- Step 4: Macro data collection and observation
- Step 5: Analysis of data collected from the Organization
- Step 6: Best practices followed in the Organization towards energy savings
- Step 7: Recommendations for further improvement
- Step 8: Exit meeting after the audit to discuss about the audit findings

8.2. Systems studied during the Energy Audit

- Physical verification of lighting, fan a/c machines, ventilators load fixtures.
- Verification of installed energy efficient systems.
- Inspection of Solar panel, Generators, Uninterrupted power supply machines.
- Inspect and verify the maintenance aspects of installed Generators and additional backup power sources.
- Analyse the electricity consumption through the supply utility company (Example: Tamil Nadu Electric Generation and Distribution Corporation Limited, Chennai).
- Review the potential usage of alternative energy resources.
- Review the energy conservation awareness among the stakeholders for optimum use of electricity and its savings.

8.3. Planning and organizing the Energy Audit

Planning and organizing are the integral part of the energy audit. An initial visit to the audit sites is organized and the areas to be inspected are listed. Following the listing, information on the energy consumption of various blocks in the recent past is obtained, and a planned analysis is carried out.

8.4. Walk-through Audit Process

Simple audit, screening audit or visual audit are the other names, by which walkthrough audits are addressed. The main purpose of the walk-through audit is to obtain general information about the sites in which electrical energy is being used at the maximum. More specific information have been obtained from the maintenance and operational people during the time walk-through audit. It also included a walk- through of the facility to become familiar with the building"s operation and a brief evaluation of facility utility bills (amount paid for electricity) and other operating data. During the audit the primary problem areas are discovered.

8.5. Macro Data collection and observation

Current level operation and practices within the campus are assessed and then the data regarding the number of electrical loads connected in each section are collected. The power ratings of each component and their respective hours of operation are also observed and documented for preparing the recommendations to the Organization.

8.6. Measurements in the Energy Audit process

An energy audit required measurements, such as the energy identification and quantification, and these quantities necessitate the instruments used in a consistent way. Some of the basic electrical parameters are monitored during the energy audit such as Voltage (V), Current (I), Power factor, active power (Kw), apparent power (demand in Kva), reactive power (Kvar), energy consumption (Kwh), frequency (Hz), harmonics, illumination level, etc. Temperature and heat flow, radiation, air and gas flow, liquid flow, speed, air velocity, noise and vibration, dust concentration, TDS, Ph, moisture content, relative humidity, flue gas analysis $- CO_2$, O_2 , CO, SO_2 , NO_2 , combustion efficiency are the mechanical, thermal and other parameters that are analysed during the audit depending upon the requirements

9. About the Institution

9.1. Adichunchanagiri Institute of Technology, Karnataka

Adichunchanagiri Institute of Technology (AIT) was established in the year 1980 at Chikmagalur (240 km from Bangalore), with the blessings ofrevered Jagadguru Padmabhushana Sri Sri Dr. Balagangadharanatha Maha Swamiji, pontiff, of Sri Adichunchanagiri Maha Samsthana Math. Chikmagalur city is 20 km from the world-famous sculpture Belur Temple. The Adichunchanagiri Institute of Technology is affiliated to Visvesvaraya Technological University, Belagavi and Recognized by All India Council for Technical Education, New Delhi.

The Institute is Accredited by the National Assessment and Accreditation Council (NAAC) with B+ grade.Institute is Accredited twice by National Board of Accreditation (NBA) and also an ISO 9001:2008 Certified Institution.

The renowned temple of Sringeri Sharadamba and Sri Shankaracharya Mutt is just 100 km away. Spread out over 65 acres of land with green surroundings and picturesque hillocks, the college has a conducive atmosphere for education. The weather is salubrious and pleasant throughout the year. The vision of the Institute is to develop as a center of excellence and to strive for continuous improvement of technical education and human resource advancement and the mission is to achieve Excellence in Education, Entrepreneurship and Innovation by producing Engineers with high Ethical Standard, Integrity and Credibility.

The Institute has highly qualified and experienced faculty with a reputation in their areas of specialization, well-equipped laboratories, seminar halls with projectors, sufficient books and periodicals in the library, hygienic canteen facility with hostels for both girls and boys, a huge amphitheater for cultural exposure and fleet of buses for transportation. The Institute is providing good training for students to excel in academics as well as in industry requirements and aiming towards 100% placements to give a better future for students.

9.2. About Nature Science Foundation (NSF)

NSF is an ISO 9001:2015 & 14001:2015 certified and registered with Ministry of Micro, Small and Medium Enterprise (MSME), Government of India Organization functioning energetically towards the noble cause of nature conservation and environmental protection. NSF is managed by a board of trustees of NSF Public Charitable Trust under the TN Societies registration Act 1975 (TN Act 27 of 1975) on 29th November, 2017 at Peelamedu, Coimbatore- 641 004, Tamil Nadu, India with Certificate of Registration No. 114 / 2017. In addition, NSF has 12A, 80G and Form 10AC certificates for income tax exemption and implanting various Government schemes. The main motto of the NSF is to "Save the Nature to Save the Future" and "Go Green to Save the Planet". NSF Branch Offices are also functioning effectively at Gorakhpur, Uttar Pradesh and Faridabad, Haryana, India to adopt the "Go Green Concept" in a big way. NSF family is wide spread across India with over 115 statewise Lead auditors to conduct Green and Environment Audits.

NSF is functioning strenuously to conduct different awareness programmes and implement various schemes to public and school / college students towards the noble cause of nature protection. Some of the programmes are also being organized for the benefit of tribal communities to create the supply chain for biodiversity conservation studies. The objectives along with vision and mission are illustrated to promote educational and environmental awareness programmes through social activities for enhancing the quality of life and to conserve nature from environmental pollutants using traditional and modern technologies for sustainable land management. NSF is educating the tribal community children through social service and towards the upliftment of tribes as a whole and make them as entrepreneurs.

International Eco Club Student Chapter (IECSC) has been established for Student volunteers and faculty members are encouraged to conduct National and International events, Student Technical Symposium, Distinguished lecture programme, Environment day celebration, Ozone day celebration, Project model exhibition, Awareness programmes on Environmental pollution, Biodiversity and Natural resources conservation etc. with the financial support of the Foundation. NSF is being released "Magazine" and "Newsletter" biannually to share the information about Environmental awareness programmes on biodiversity conservation, seminar on soil conservation, water management and solid waste management, restoration and afforestation programmes in Western Ghats of southern India. In order to encourage the students, members of faculty, academicians, scientists, entrepreneurs and industrial experts those who are involving in nature protection and biodiversity conservation studies across the world, NSF tributes the deserved meritorious candidates with various awards and honours such as "Best Faculty Award", "Best Women Faculty", "Best Scientist Award", "Best Student Award", "Best Research Scholar Award", "Best Social Worker Award", "Young Scientist Award", "Life-Time Achievement Award" and "Fellow of NSF". These award and honours will be given to the deserved meritorious candidates during the

"Annual Meet and Award Distribution Ceremony" which will be conducted every year during the first week of January.

NSF has introduced various types of Audits such as "Eco Audit", "Green Audit", "Energy Audit", "Hygienic Audit" Water & Soil Audit, Plastic Waste Management Audit, Biomedical Waste Audit, Solid Waste Management Audit, E- Waste Management Audit, Academic & Administrative Audits including ISO certification process to Academic Institutions, R&D Organizations and Industries towards the accreditation process as well as maintaining a hygienic eco-friendly environment to the stakeholders in their campus. All audits will be conducted as per the Checklist prepared by the NSF ISO Criteria and in compliance with Government Law and Environmental Legislations including World / Indian Green Building Council and the concept of Swachh Bharath Abhiyan under Clean India Mission. Green campus and Environment Policy, Purchase Policy, Energy Policy, MoU, International Eco Club student Chapter.

Audit	Certified Auditors	Certified Auditors
Green Audit	• IGBC - Indian Green	Mrs. S. Rajalakshmi
	Building Council	Dr. R. Mary Josephine
	• GBCRS - Green Building	Dr. B. Mythili Gnanamangai
	Code and Green Ratings	Er. Ashutosh Kumar Srivastava
	Systems	Er. N. Shanmugapriyan
	• GRIHA – Green Rating for	
	Integrated Habitat	
	Assessment	
Energy Audit	• BEE - Bureau of Energy	Er. D. Dinesh kumar
	Efficiency	Er. N. Shanmugapriyan
	• LEED - Leadership in	Dr. N. Balasubramaniam
	Energy and Environmental	Dr. P. Thirumoorthi
	Design	Dr. G. Murugananth
	• CII-GreenCo – GreenCo	
	Rating System Felicitator	
Environment	• IGBC -Indian Green	Mrs. S. Rajalakshmi
Audit	Building Council	Dr. A. Geetha Karthi
	ASSOCHAM - Associated	Dr. R. Mary Josephine

Audit processes are being conducted through the certified Auditors as per the following by the NSF

Hygiene Audit	 Chambers of Commerce and Industry of India FSRS – Fire Safety & Rescue Services FSMS – Food Safety Management System & Occupational Safety & Health (ISO 22000:2018) SBICM - Swatch Bharath under India Clean Mission 	 Dr. B. Mythili Gnanamangai Er. Ashutosh Kumar Srivastava Er. N. Shanmugapriyan Mrs. Gaanaappriya Mohan Er. Ashutosh Kumar Srivastava Dr. R, Sudhakaran Dr. N. Saranya
Waste Management Audits	Waste Management Audit, Biomedical Waste Audit,	 Mrs. Gaanaappriya Mohan Er. Ashutosh Kumar Srivastava Dr. R, Sudhakaran Er. N. Shanmugapriyan
Academic & Administrative Audits	 Academic & Administrative Audits as per the NAAC Criteria and ISO implantation procedure In compliance with the Environmental legislations and rules and regulations 	 Dr. B. Anirudhan Dr. B. Shreeram
ISO Certification	 QMS (9001:2015), EMS (14001: 2015), OHS (45001: 2018), ISMS (27001:2018), FSMS (22000: 2018), QMSMD (13485: 2016), EnMS (50001: 2018) 	 Er. Ashutosh Kumar Srivastava Mrs. S. Rajalakshmi Dr. A. Geetha Karthi Mrs. Gaanaappriya Mohan Dr. R. Mary Josephine

Date / Day of Audit	:	22.06.2022
Venue of Audit	:	Adichunchanagiri Institute of Technology,
		Chikkamagaluru, Karnataka
Audited by	:	Nature Science Foundation,
		Coimbatore, Tamil Nadu, India.
Audit type	:	Energy Audit
Name of Auditing Chairman	:	Mrs. S. Rajalakshmi Jayaseelan,
		Chairman of NSF & ISO QMS, EMS,
		OHSMS, EnMS Auditor.
Name of IGBC AP Auditor	:	Dr. B. Mythili Gnanamangai,
		Vice Chairman of NSF, Indian Green
		Building Council Accredited Professional.
Name of Subject Expert-I	:	Mr. B.S.C. Naveen Kumar,
		Senior Faculty, Mahatma Gandhi National
		Council of Rural Education, Ministry of
		Higher Education, Hyderabad.
Name of Subject Expert-II	:	Dr. D. Vinoth Kumar
		Joint Director of NSF & ISO EnMS Auditor.
Name of Subject Expert-III	:	Er. D. Dinesh Kumar,
		Certified Lead Auditor, IGBC,
		ASSOCHEM, GRIHA & LEED
Name of the Energy Auditor	:	Dr. N. Balasubramanian,
		Certified Bureau of Energy Efficiency
		Auditors of NSF.
Name of the Eco Auditor	:	Er. S. Srinivash,
		Tamil Nadu Fire and Rescue Services,
		Coimbatore.
Name of Eco & Green Officer	:	Ms. S. Kavimalar,
		Environment, Energy & Green Council
		Programme Officer, NSF.

11. Observations of the Energy Audit

11.1. Facilities visited during the Energy Audit

Date	Section where Energy Audit is conducted
	Administrative Block
	Power House
	Faculty Rooms
	Classrooms
	Seminar Halls
22.06.2022	Auditorium
22.06.2022	Laboratories
	Computer Centres
	Well, Sump and pumps.
	Sewage Treatment Plant
	Hostel
	Library


In the sections, the services offered are monitored, verified, and analysed on the aspects of energy consumption. In all these areas lighting systems forms the major consumer of electrical energy. Three phase electricity service connections available in the campus are provided by Southern Power Distribution Company of TS Limited (TSSPDCL Consumer No. MCL923). The electricity consumption charges are audited and studied for the load demand requirement and efficient consumption of energy Stake holders are interacted and the scope for improvement has been discussed. Potential areas in which scope of energy conservation and saving opportunities available have been identified and suggested for implementation.

11.2. Systems Studied during the Energy Audit


- 1. Lighting fixtures are verified physically.
- 2. Installation of energy efficient lighting systems are verified.
- 3. Installation of safety systems are verified
- 4. Installation of power backup systems (generators and UPS) are verified on the aspect of maintenance and consumption.
- 5. Electricity consumption through the TSSPDCL bills was analysed.
- 6. The energy conservation awareness among the stakeholders for optimum use of electricity and its savings are reviewed.

11.3. Energy Consumption and Cost Profile

The following chart shows the profile of energy consumed and the cost for one year by the stakeholders.



Energy Consumption Profile



Energy cost profile

11.4. Power supply Equipment and Major Loads

Table 1. Major Equipment related to Electrical energy utilization

Sl. No	Major and Minor Equipment, Instrument and Machineries	Rating/Capacity	Quantity (No's)
1	LED Tube Lights	36W	48
2	Fluorescent Lamps (Given Below under tubelights)	60W	80
3	Halogen Lamps	100W	4
4	Sodium Vapour Lamp	250W	18
5	CFL	12 W	120
6	LED Focusing Light	100W	15
7	Tube Lights	36W	360
8	Solar Water Heater	2000LPD	2
9	Solar Panel System	12 V	8
10	UPS	234 kVA	36
11	LCD Projectors	-	40
12	Refrigerators	100L	2
13	Varanda GLS/CFL/TFL Light Load	2 kW	1

14	Varanda LED Light Load	6kW	1
15	Solar Street Lights	25 W	10
16	Lifts	-	-
17	Water Doctors	-	-
18	RO Water Plant & Purification System	25 L & 50L	14
19	AC (Split, Window and Centralized AC)	2	65
20	Stabilizers	50kVA	1
21	Inverters & Converters (Solar Inverter)	2kVA	1
22	Air Cooler	-	-
23	Ceiling Fans	-	300
24	Pedestal Fans	-	6
25	Table Fans	-	-
26	Portable Fans	-	-
27	Generators	75kVA	6
		50k VA	1
28	Pumps	5HP	6
29	Motors	-	-
30	Compressors	3 HP	1
31	Vacuum Cleaner	150W	6
32	Biogas Plant	-	1
33	Drip & Sprinklers Irrigation	-	-
34	Ventilators	-	-
35	Exhaust Fans	-	15
36	Insect Trap	-	-
37	Automatic Lights	-	-

38	Internet Connectivity		
39	Podium Containing Mike, Speakers, <u>Amplifiers,</u> Radio, Camera, Sensors, etc.	-	30(Speakers), 15 (Amplifiers)
40.	Computers, Laptops, iPad, Dot matrix Printer, Laser Printers, Xerox Machines, Scanners, Server, Fax Machines, Inverters with UPS	-	2Laptops, 1100Comput ers,25 Laser Printers, 8Xerox Machine,1 Inverter with UPS
41	Electrical, Electronics and Engineering Equipment/Machines		
	DC Series motor	2.5 kW	3
		3.5kW	1
	DC Compound motor	2.5kW	3
		6.5kW	2
	DC Shunt motor	2.5kW	5
		3.7kW	1
	DC Compound generator	2.5kW	4
	DC Series Generator	2.5kW	1
		2kW	1
		2.2kW	1
	Single Phase transformers	1kVA	4
		2kVA	2
	Three Phase transformers	3kVA	2
	Single Phase Auto Transformers	230 V,15A	4
		230V,10A	2
		230 V, 10A	2

	230V, 20A	5
	230V,4A	5
Three Phase Auto transformers	440V, 10A	3
	440 V, 20A	5
Single Phase Loading rheostat	5kW	4
	3kW	2
Three Phase Loading rheostat	8kW	2
	5kW	2
	2.7kW	1
Single Phase Inductive Load	-	-
Single Phase Capacitive /load	-	-
Three Phase Capacitive load	-	
Three Phase Inductive Load	415 V	1
Power Electronics Modules	-	30
Three Phase Required Cage induction motor	3.7kW	5
Single phase induction motor	0.75kW	2
	2.5kW	1
	1kW	1
Three Phase Slip ring induction motor	3.7 kW	1
	3.5kW	1
Three phase AC generator	3kVA	1
	5kVA	1
Three Phase Stabilizers	50kVA	1
Single Phase Stabilizers	5kVA	1
Synchronizer	-	-

	Half and Fully controlled converters	-	-
	Buck, Boost and buck-boost converters	-	-
	Single Phase and Three phase inverters	-	
	UPS	5kVA	1
	CRO	-	20
	DSO	-	10
	Microcontroller trainer kits	-	20
	Microprocessor trainer kits	-	-
	Arduino trainer kits	-	-
	Digital Electronic Trainer kits	_	30
	Flipflops	-	-
	Counters	-	-
	Half Adder	-	-
	Full adder circuits	-	-
	DC shunt Generators	2.5kW	4
	Synchronous Motor	3.7kW	1
	AC-DC Rectifier	50A,220V	1
		100A, 220V	1
42.	Electronics and Communication Engineering Equipment /Machines		
	Microprocessor trainer kit	-	30
	DC Series motor	-	-
	DC Compound Motor	-	-
	DC Shunt motor	0.5HP	4
	DC Compound generator	-	-

DC Series Generator	-	-
Single Phase and Three Phase Transformers	-	-
Loading rheostat	-	-
Single Phase and Three phase, Inductive & Capacitive load	-	-
Power Electronics trainer kits	-	12
Three Phase Squirel cage induction motor	-	-
Single Phase & Three Phase induction motor	-	-
Three Phase Slip ring induction motor	-	-
AC generator	-	-
Stabilizers	5kVA	3
Synchronizer	-	-
Half Controlled converters	-	2
Fully controlled converters	-	4
Buck, Boostand buck-boost converters	-	3
Single Phase inverters	-	-
Three Phase Inverters	-	-
Synchors	-	-
CRO	-	60
DSO	-	60
Microcontroller trainer kits	-	50
Arduino trainer kits	-	-
Digital Electronics trainer kits	-	50
Flipflop,Counters,Half Adder, Full adder circuits	-	-

Civil engineering / Machines		
Compressing Testing Machine	3HP	2
Universal Testing Machine	3HP	2
Loading Frame	1.5 HP	1
Total station,	-	4
Theodoities	-	12
Flexure Testing Machine	1.5 HP	1
Sieve set	1.5 HP	2
Slump Conce Apparatus	_	1
Compaction Factor Apparatus	-	1
Torsion testing Machine	0.37 kW	1
Izod Impact Testing Machine	-	1
Hardness Testing Machine	-	2
Beam Deflection test apparatus	-	1
Le Chateliers Apparatus	1.5kW	1
Vicats Apparatus	-	2
Centrifugal pump	2HP	1
	1HP	3
	1.5HP	2
Submersible pump, Reciprocating Pump	-	-
Pelton Wheel turbine	10 HP	1
Francis Turbines	10HP	1
Kalpan Turibine	10HP	1
Conductivity meter	-	
Jar Test Apparatus	-	- 11

-		
BOD incubator	1.5kW	1
COD Digester	2.5kW	1
Direct Shear Apparatus	1.5kW	2
Triaxial Shear Apapratus	1.5kW	1
Hydrometer	-	1
Relagtive Density Apparatus	-	-
Vee Bee Consistometer	1 HP	1
CBR Apparatus	-	1
Turbidity meter	-	2
Spring Testing Machine	-	1
Laboratory Electric Oven	2kW	6
Dorry"s Testing Machine	1.5kW	1

 Table 2. Annual Energy Consumption of Fuels

S.No	Month	Units Consumed (kWh)	Diesel Consumption (Litres)	Petrol Consumption (litres)	LPG Consumption (kg)
1.	January	41098.5	7970	225	1460
2.	February	36094.5			
3.	March	44602.5			
4.	April	37701			
5.	May	20622			
6.	June	23034			
7	July	31105.5			
8.	August	36363			
9.	September	31464			
10.	October	34032			
11.	November	34264.5			
12	December	37677			

Sl.No	Months	Rating/Capacity units in kWh	Cost
1	January 2022	410985	398083
2	February 2022	360945	354197
3	March 2022	446025	3963692
4	April 2021	37701	360098
5	May 2021	20622	209108
6	June 2021	23034	226129
7	July 2021	311055	294604
8	August 2021	36363	339206
9	September 2021	31464	314609
10	October 2021	34032	335129
11	November 2021	342645	332591
12	December 2021	37677	366421

Table 3: Energy Consumption and Cost Profile

Table 4. Transportation Facilities available in the campus

S.No	Type of Vehicle	Fuel Used	No. of Vehicles	Non Pollution Certified (Y/N)
1.	Bus	Petrol	18	Yes, pollution
				certificate will
2.	Cars	Petrol	1	be provided

Table 5. 11.5 Quantitative and Qualitative Measurement

S.No.	Requirements and checklists of the audit	Conformity		nity
		Yes	No	NA
1.	Have internal Energy audit procedures been developed and implemented in the Organization?		~	
2.	Have programmes for the achievement of energy efficiency and conservation objectives been established and implemented as on today in the campus?	~		
3.	Has a Management Representative, Electrical Engineer, Staff in charge been assigned for energy savings on power consumptions?	~		
4.	Have programmes for the achievement of prescribed financial outlay for current bills for each building in the campus towards power consumptions?		~	
5.	Has the organization ensured that personnel performing environmental specific tasks have the required knowledge on energy audit (e.g. education, training programme, seminar,		~	

	workshop, camp, etc.)?			
6.	Are objectives and targets documented towards energy audit periodically and any Register is made?		~	
7.	Any analysis of energy flows for energy conservation in terms of the amount of energy input into the system without negatively affecting the output in buildings		✓	
8.	Implications of alternative energy efficiency measures sufficient to satisfy the financial criteria of sophisticated investors		~	
9.	Identification of the most efficient and cost- effective Energy Conservation Opportunities (ECOs) or Measures (ECMs) taken by the Management		✓	
10.	Are the following energy efficiency and conservation aspects considered in sufficient detail?	~		
	a. Fluorescent (tube) lights, Incandescent lamp and sodium vapour lights are replaced with CFL / LED	~		
	b. Number of Uninterruptible power supply (UPS) and Power generators for power back-up to alternative current supply facility in each building	~		
	c. Number of solar panels, solar lights, solar water heaters, electric water heater installed		\checkmark	
	d. Automatic sprinkler system used for irrigation purpose		\checkmark	
	e. Ultra-violet lights and any other harmful lights used with safety precautions		~	
	f. Attempt in reducing the energy expense and carbon footprint	~		
	g. Disposal facility for hazardous arise from electrical gadgets, equipment and installation	~		
	h. Renewable energy utilization (solar panel, wind mill)		~	
	i. Natural / Mechanical air ventilation at Indoor / Outdoor auditorium, stadium, seminar halls, etc.	~		
	j. Sign boards indicating Switch OFF / ON, Danger at Electrical equipment and Power transformers in the campus		~	
11.	Signing of MoU with Govt. and NGOs to ensure about the energy conservation and efficiency in the campus	~		
12.	Conduction of awareness programmes and outreach programmes on the energy conservation and efficiency	✓		

10				
13.	The details of public transport, battery operated /	\checkmark		
	electric vehicles, biofuel use, exhaust fans, boiling			
	water system, chillers and geysers on energy			
	savings mode			
14.	Projects and Dissertation works on the energy			
	conservation and efficiency carried out by students	\checkmark		
	and staff members			
15.	Steps taken to take care of daylighting, AC	\checkmark		
15.	machines heat emission and ecofriendly	r		
	5			
16	Refrigerators, etc.			
16.	Use of water metering, IoT based energy efficiency		\checkmark	
	practices, remote waterlines, automation of			
	electrical fittings and gadgets to save energy			
17.	Are all monitoring electrical equipment	\checkmark		
	appropriately maintained and calibrated?			
18.	Are any energy conservation technologies and			
	retrofit for energy conservation equipment being			
	implemented?		\checkmark	
19.	Skylight roof ratio, fenestration plan and Daylight			
17.	illuminance in building construction towards			\checkmark
	energy efficiency*			
20			1	
20.	Any Automatic Lighting Shutoff with occupancy		V	\checkmark
	Sensors and Timers, Exterior / Interior lighting			
	control facility*			
21.	Have any rooms and guest suites a master control			\checkmark
	device at the main room entry that controls all			
	permanently installed luminaires and switched			
	receptacles*			
22.	Total electricity usage divided by total campus'			
	population (kWh per person)	\checkmark		
23.	The ratio of renewable energy production divided	\checkmark		
	by total energy usage per year			
24.	Total carbon footprint divided by total campus'		~	
	population (metric tons per person)		•	
25.	Elements of green building implementation as	~		
	reflected in all construction and renovation policies	•		
26.	Greenhouse gas emission reduction awareness			
	programme to the stakeholders		\checkmark	
27.	Computers, Lap tops, Ipad, Dot matrix Printer,			
21.		\checkmark		
	Laser printers, Xerox Machines, Scanners, Server,			
	Fax machine, Inverter with UPS			
28.	Equipment, Instruments and Machineries			
	related to Life Sciences and Biological Sciences			
	including Biotechnology, Nanotechnology, Food			
	Technology, etc		\checkmark	
	Electronic Balances, pH Meter, Hot-air-oven,			

			1]
	Microwave oven, Laminar Air Flow, Autoclave,			
	Microscopes, Electophonic, Apparatus,			
	Chromatography devices, Grinders, Mixers, Deep			
	Freezers, BOD incubators, COD digester,			
	Extraction apparatus, Incubators, Co2 incubators,			
	Heating Mantle, Vaccum pump, Vortes Mixer,			
	Magnetic stirrer, Gel rocker, Somicator, Growth			
	chambers, Air curtains, Acrators,			
	Spectrophotometers, Calorimeters, Turbidity meter,			
	Colony counter water bath, Dry bath, Thermocycler,			
	Gene gun, Gel documentation system, Trans			
	illuminator, Ice maker, ELISA reader & Water,			
	Aquarium, zebra fish/animal house facility,			
	Mechanical & Orbital Shakers, cyclo mixer,			
	Lyophilizer, Incinerators, Fermenters,			
	Reactors, Particle size Analyser, XRD, FTR, Muffle			
	furnace			
29.	Chemical Sciences and Engineering	\checkmark		
	Equipment/Machines			
	Distillation unit, Flow through straight pipe, packed			
	bed distillation, Roll crusher, jaw crusher, sieve			
	analysis machine, Shell and tube heat exchangers,			
	plate and frame filter press, Fume hood,			
	Fluorimeter, Venturimeter, Orifice meter,			
	Nephelometer, Membrane Filtration Apparatus,			
	Sieve set Machine, Jar test apparatus			
30.	Electrical, Electronics and Communication	✓		
	Engineering Equipment/Machines	V		
	DC Shut motor, DC Series motor, DC Compound			
	motor, DC Shunt motor, DC Compound generator,			
	Dc series generator, Single phase & Three phase			
	transformers, Loading rheostat, Single phase &			
	three phase, inductive & capacitive load, Power			
	electronics trainer kits, Three phase squirrel cage			
	indication motor, Three phase slip ring induction			
	motor, AC generator, Stabilizers, synchronizer,			
	Half and fully controlled converters, Buck, Boost			
	•			
	and buck-boost converters, Single phase and three			
	phase inverters, synchros, CRO, DS, CRO.			

11.6. Measurement of Carbon dioxide level in the Campus

Despite a massive increase in global warming, environmental changes and human population including many commercial activities now-a-days, the amount of carbon in Earth's atmosphere is playing an important role which act as a global indicator for checking the purity of the atmosphere. Using a portable CO_2 Analyzer, the level of carbon dioxide was measured in different places across Adichunchanagiri Institute of Technology, Karnataka. The observation showed that the concentration of CO_2 in the atmosphere is found to be low which did not exceed the critical limit of CO_2 . It is further revealed that all the selected locations are having pure air with good air exchange which are free from pollutants (Table 6).

Carbon footprint, amount of CO_2 emissions associated with all the activities of the College or other entities like building construction and anthropogenic activity by human beings includes direct emissions, such as those that result from fossil-fuel combustion from direct burning, transportation, industrial activities, as well as emissions from electricity generation. In addition, the carbon footprint also contributes to the greenhouse emission.

Table 6. Measurement of CO ₂ Concentration in Adichunchanagiri Institute of
Technology, Karnataka

Sl.No.	Different locations of the Organization's campus	Carbon dioxide level (ppm)	Remarks
1.	Open Space	391	Aspirational
2.	Class Room (ECE)	558	Within Permissible limits
3.	Civil engineering Lab	468	Within Permissible limits
4.	Mechanical Lab	508	Within Permissible limits
5.	Parking Area	381	Aspirational

Reference of Set values of CO₂ level

As per (ASHARE 62-2019) Indoor air Quality parameters Threshold values Class A (Aspirational) = Ambient+ 350

Class B (Within Permissible limits) = Ambient + 500

Class C (Marginally Acceptable) = Ambient + 700

a.Calculation of Carbon Footprint at Adichunchanagiri Institute of Technology, Karnataka

The Carbon footprint calculation can be conducted based on the stage of calculation as stated in www.carbonfootprint.com, which is the sum of electricity usage per year.

The CO₂ emission from electricity

= (electricity usage per year in kWh/1000) x 0.84

= (408058.5 kWh/1000) x 0.84

= 342.769 metric tons

Notes:

Electricity usage per year = 342.769 kWh

0.84 is the coefficient to convert kWh to metric tons.

b. Total Carbon dioxide emission per year

Total emission from electricity usage+ transportation (bus, car, motorcycle, trucks) 342.769+19.71+131.4+438=931.879 metric tonnes.



CO₂ level measurement at various locations of Adichunchanagiri Institute of Technology, Karnataka

11.7. Ways to reduce Carbon Footprint

Evaluating and understanding the CO_2 emission can reduce the negative impact on the environment. Tiny changes can bring good impacts like when it comes to transportation, food, clothing, waste, etc., the following tips helps in reducing the carbon footprint.

Food

- Consumption of local and seasonal products.
- Limiting the consumption of meat and beef.
- Adopting sustainable fishing.
- Avoiding plastic packaging and practising the use of reusable bags.
- Sense of buying only necessary things.

Clothing

- Taking good care of clothes.
- Buying second hand products or borrowing
- Using the clothes made from recycled products with eco label

Transport

- Adopting carpooling practice, using cycles and public transport
- Usage of No Pollution certified vehicles.
- Energy and waste
- Turning down the heating.
- Short showers
- Proper usage of water while brushing teeth or cleaning the dishes
- Proper care while charging the batteries.
- Selecting star rated equipment and EU Energy labelled products
- Reduce and recycle of wastes.

11.8. Light Intensity Measurement

Light intensity or light output is used to measure whether a particular light source provides enough light for an application needed. There is a well-established light level recommendation for a wide range of applications in lighting industry and also for the type of space. Understanding the light intensity helps to properly evaluate whether the space has adequate lighting conditions or not. Light intensity is measured in terms of lumens per square foot (foot-candles) or lumens per square meter (lux). Measuring the amount of light that falls on a surface allows to evaluate if the particular space has sufficient light to perform the tasks.

A light meter (lux meter) is used to measure the amount of light in a space/on a particular work surface. The light meter consists of a sensor that measures the light falling on it and provides the user with a measurable illuminance reading. Light meters are an especially useful tool for measuring light for safety or over-illumination. The light intensity is usually measured by taking initial reading, where the lightings are turned off (Baseline measurement) and the final reading is taken by turning on the lights in the particular space (illuminated level). Subtracting the baseline measurement from illuminated level gives the light intensity of the particular room/ space.



Light Intensity Measured at various locations of Adichunchanagiri Institute of Technology, Karnataka

S.No	Location	Light Intensity (Lux)
1.	Auditorium	300-350
2.	Parking Area	150-300
3.	Computer Lab	150-220
4.	Open Space	200-350
5.	Faculty room	300-350

Table 7: Light intensity measured at various locations of AdichunchanagiriInstitute of Technology, Karnataka

Reference set of values for LUX

Table : 8 Recommended level as per (ASHARE 62-2019) IL-luminance (LUX)

Sl. No	Building	Type of Spaces	IL-luminance
			(LUX)
1	Places of Assembly	Libraries	500
		Auditorium	100
3	Commercial	Computer room	500
4	Hotels	Lobbies	100
		Reception rooms	300
5	Office	Small office	300
		Conference	500
		Landscaped office	500
6	Restaurants	Cafeterias Area	300
		Kitchens	500
7	College	Classroom	300
		Corridors	100
			300
		Faculty room	

12. Best Practices followed in the Organization

- Transformer, Generators and UPS are protected properly with fencing and kept awareness boards on "Dangers" and "Warnings".
- Most of places, sign board of "Switch ON" and "Switch OFF" are kept towards saving energy measures to the stakeholders.
- Electrical wires, switch boxes and stabilizers are properly covered without any damage which will cause any problems to the staff and student members.
- Installed roof top solar power plant.
- Installed automatic switches with sensors.
- HVLS Fans are fitted in the auditorium.
- Water level controllers are used.
- Power factor is maintained near to unity with APFC.
- STP is used for water recycling which is functioning well.

- Replaced old generation computers and TVs with LED monitors.
- Promoting ECON awareness and practice among the stakeholders are being conducted periodical through Association, Clubs, Forums and Chapters.
- Usage energy efficient light-emitting diode (LED) bulbs instead of incandescent and CFL bulbs.
- Maintenance of appliances and replaced old appliances in all laboratories
- Value added / Non-formal / Certificate / Diploma course on "Energy and Environment Management Audits" are being conducted for the benefit of students and research scholars to become a certified Lead Auditor.
- Establishment of a system of carpooling among the staff members and students to reduce the number of four wheelers coming to the College.
- Discouraging the students and research scholars using two wheelers for their commutation in the campus.
- Switching off the lights, fan, air conditioners, equipment and instruments when they are not in use.





Best Practices Followed by the institutions





Walk through audit various Instruments, machines were inspected at Adichunchanagiri Institute of Technology, Karnataka

13. Recommendations for improving the energy efficiency and energy Conservation in the Organization

The energy audit included suggestions for energy cost reduction, preventive maintenance, and quality control activities, all of which are critical for utility operation in the audit sites.

- Procurement of equipment with energy efficiency (4-5 star rated equipment) during replacement may be considered.
- Daylight sensors can be implemented in future.
- Star rated fan can be used in near future.
- DG set Automatic syne can be implemented
- Optimal water usage and temperature settings may be used which are coming under automatic process towards energy savings.
- Continuous monitoring and analysis of energy consumption by dedicated team may be planned within the campus.
- Turn off electrical equipment when not in use
- Use computers and electronic equipment in power saving mode.
- Installation of Biogas plant for hostel kitchen as well canteen.
- Automatic switches with occupancy sensors in common areas
- Inclusion of on campus e-vehicle.
- Monthly use of electricity in the College may be reduced to a greater extent by means of undertaking a periodical energy audit.
- There are fans of older generation and non-energy efficient which can be phase out by replacing with new energy efficient fans.
- Regular monitoring of equipment in all laboratories and immediate rectification of any problems.
- Internal energy policy such as preventive maintenance and breakdown maintenance policy should be implemented.
- Separate representative for maintenance to be followed.
- Plan for diesel consumption need to be implemented
- Energy meter in each building to be implemented
- Automotive energy such as solar panel, solar water and wind mill can be implemented to meet 40% of diesel consumption IOT based projects such as water sprinkler, Automatic light, A.C turn off, Water flow to be implemented, disposal for E- waste to be implemented.

14. Recommendations on Carbon Footprint in the Organization

- Encourage students and staff members to use bicycles and battery operated vehicles to reduce fuel consumption and carbon emission.
- Establish a more efficient cooking systems like biogas operated machineries to save fossil gas in hostel kitchen and canteen.
- More use of generators, inverters, and UPS every day should be discouraged which could save electrical energy.
- Large number of ventilation and exhaust systems may be placed in auditorium, seminar and conference halls to reduce the carbon dioxide level among the participating students, scholars and staff members.

15. Conclusions

Considering the fact that the organization is a well-established, long time run establishment with good reputation, there is significant scope for conserving energy and make the campus as self-sustained in it. The energy conservation initiatives taken up by the institution are substantial. Energy efficient lighting schemes, awareness created among stakeholders and necessary power backups are being practiced by the institution. There are some best Practices followed on Energy Audit in the Organization like Transformers, Generators and UPS are protected properly with fencing and kept awareness boards on "Dangers" and "Warnings". It is observed that the most of places, sign board of "Switch ON" and "Switch OFF" are kept towards saving energy measures to the stakeholders. Electrical wires, switch boxes and stabilizers are properly covered without any damage which will cause any problems to the staff and student members. Few recommendations, in addition, can further improve the energy savings of the Organization. This may lead to the prosperous future in context of Energy Efficiency Campus and thus sustainable environment and community development to the stakeholders in coming years to come.

16. Acknowledgement

Nature Science Foundation, Coimbatore, Tamil Nadu, India is grateful to the Management and Principal of Adichunchanagiri Institute of Technology, Karnataka for providing us necessary facilities and co-operation during the energy audit process. This helped us in making the audit a success. Further, we hope that the best practices on sustainability followed by the Organization and recommendations and suggestions given by the NSF will boost the new generations to take care of the Electrical energy conservation, Energy saving measures and sustainability incompliance with the applicable regulations, policies and standards in the College Campus.


17. References

- Asnani, J. and Bhawana, S. 2015. Study of awareness and habits among home makers during purchasing electrical household equipment. *International Journal of Applied Home Science***2** (7&8): 201-206.
- Backlund, S. and Thollander, P. 2015. Impact after three years of the Swedish energy audit programme. *Energy*, **82**: 54-60.
- Bae, S.H. and Seol, I. 2006. An exploratory empirical investigation of environmental audit programs in S&P 500 companies. *Management Research News* 29 (9): 573-579.
- Buckman, A.H., Mayfield, M. and Beck, S.B.M. 2014. What is a smart building?. *Smart Sustainable Built Environment* **3** (2): 92-109.
- Cabrera, E., Pardo, M.A., Cobacho, R. and Cabrera, Jr, E. 2010. Energy audit of water networks. *Journal of Water Resources Planning and Management*. **136** (6): 669-677.
- Cardozo, N.H., da Silveira Barros, S.R., Quelhas, O.L.G., Filho, E.R.M. and Salles,
 W. 2019. Benchmarks analysis of the higher education institutions participants of the Green Metric World University Ranking. Springer, Universities and Sustainable Communities: Meeting the Goals of the Agenda 2030, World Sustainability Series. pp. 667-683.

- Choy, Er.A. and Karudan, R. 2016. Promoting campus sustainability: A conceptual framework for the assessment of campus sustainability. *Journal of Social Sciences and Humanities* **11** (2): 112-118.
- Gnanamangai, B.M., Murugananth, G. and Rajalakshmi, S. 2021. A Manual on Environment Management Audits to Educational Institutions and Industrial Sectors. Laser Park Publishing House, Coimbatore, Tamil Nadu, India, p. 203.
- Fachrudin, H.T., Fachrudin, K.A. and Utami, W. 2019. Education activities to realize green campus. *Asian Social Science* **15** (8): 18-27.
- IGBC, 2021. Indian Green Building Council. https://igbc.in/igbc/
- Ingle, A., Moezzi, M., Lutzenhiser, L. and Diamond, R. 2014. Better home energy audit modelling: incorporating inhabitant behaviours. *Building Research* &*Information*42 (4): 409-421.
- Lauder, A., Sari, R.F., Suwartha, N. and Tjahjono, G. 2015. Critical review of a global campus sustainability ranking: Green Metric. *Journal of Cleaner Production* 108: 852–863.
- Leon-Fernandez, Y. and Dominguez-Vilches, E. 2015. Environmental management and sustainability in higher education: The case of Spanish Universities. *International Journal of Sustainability in Higher Education* **16**: 440-455.
- Mishraand, U. and Patel, S. 2016. Awareness regarding energy efficiency star labelling on household appliances amongst the consumers of Vadodara city. *International Journal of Applied Home Science***3** (9&10): 330-338
- Padmini, E. 2007. *Biocharacterization Calculations and Biostatistics*. Books and Allied (P) Ltd, Kolkata, India.
- Peters, G.F. and Romi, A.M. 2014. Does the voluntary adoption of corporate governance mechanisms environmental risk disclosures? Evidence from greenhouse gas emission. *Journal of Business Ethics* **125** (4): 637-666.
- Pramanik A.K. 2013. Environmental Audit and Indian Scenario, Environmental Accounting and Reporting. Deep and Deep Publications, New Delhi, India. p.312.
- Rajalakshmi, S., Kavitha, G. and Vinoth kumar, D. 2021. *Energy and Environment Management Audits*. AkiNik Publishing, New Delhi. 217p.
- Shriberg, M. 2002. Institutional assessment tools for sustainability in higher education: strengths, weaknesses, and implications for practice and theory. *International Journal of Sustainability in Higher Education* **3** (3): 254-270.
- Singh, M., Singh, G. and Singh, H. 2012. Energy Audit: A case study to reduce lighting cost. Asian Journal of Computer Science and Information Technology2 (5): 119-122.
- WGBC, 2021. World Green Building Council. https://www.worldgbc.org.

Certificates of Nature Science Foundation, Coimbatore, Tamil Nadu.

1.ISO Certificate (QMS 9001:2015)
2.ISO Certificate (EMS 14001:2015)
3.ISO Certificate (OHSMS 45001:2018)
4.ISO Certificate (EnMS 50001:2018)
5.MSME Certificate
6.NGO Darpan NITI Aayog
7.12A Certificate
8.80G Certificate
9.10AC Certificate



This is to Certify That The Environmental Management System of NATURE SCIENCE FOUNDATION LIG II, GANDHIMAA NAGAR, PEELAMEDU, COIMBATORE - 641 004. TAMILNADU, INDIA. has been assessed and found to conform to the requirements of ISO 14001:2015 for the following scope : PROVIDING CONSULTANCY SERVICES FOR ENVIRONMENT, ENERGY, GREEN, HYGIENE, SOIL AND WATER, WASTE MANAGEMENT, BIOMEDICAL WASTE MANAGEMENT, E-WASTE MANAGEMENT, PLASTIC WASTE MANAGEMENT AND ACADEMIC AND ADMINISTRATIVE AUDITS TO EDUCATIONAL INSTITUTIONS AND INDUSTRIAL SECTORS AS PER THE OWN CHECKLISTS. START UP THE INTERNATIONAL ECO CLUB STUDENTS CHAPTER, OFFERING LEAD AUDITOR COURSE ON ENERGY AND ENVIRONMENT, AWARDS TO MERITORIOUS CANDIDATES. Certificate No 22DEJI67 Initial Registration Date : 21/05/2022 Issuance Date : 21/05/2022 Date of Expiry* : 20/05/2025 : 21/04/2023 1st Surve, Due 2nd Surve, Due : 21/04/2024

Sertificate of

DIRECTOR

ROHS Certification Pvt. Ltd.



B-3, in Hors Super-2 Meth, Januar Badi, Neger (P-2003) e-null - infe@mbcomfloation.orite | safeity - unreambcomfloation tells The Registration is use a Finduat Quellog Comfloaty. "Soffer to conceptul completion of contrilling andro. Visit for profestion microsoficatelylastics. Unrefloate is the sources of 40000 and space schere discussed.

egistration







Certificate of Registration

This is to certify that

NATURE SCIENCE FOUNDATION

LIG II, GANDHIMAA NAGAR, PEELAMEDU, COIMBATORE - 641 004, TAMILNADU, INDIA.

> has been independently assessed by QRO and is compliant with the requirement of:

ISO 50001:2018

Energy Management Systems

For the following scope of activities:

PROVIDING CONSULTANCY SERVICES FOR ENVIRONMENT, ENERGY, GREEN, HYGIENE, SOIL AND WATER, WASTE MANAGEMENT, BIOMEDICAL WASTE MANAGEMENT, E-WASTE MANAGEMENT, PLASTIC WASTE MANAGEMENT AND ACADEMIC AND ADMINISTRATIVE AUDITS TO EDUCATIONAL INSTITUTIONS AND INDUSTRIAL SECTORS AS PER THE OWN CHECKLISTS, START UP THE INTERNATIONAL ECO CLUB STUDENTS CHAPTER, OFFERING LEAD AUDITOR COURSE ON ENERGY AND ENVIRONMENT, AWARDS TO MERITORIOUS CANDIDATES.

Date of Certification: 9th August 2022 1st Surveillance Audit Due: 8th August 2023 2nd Surveillance Audit Due: 8th August 2024 Certificate Expiry: 8th August 2025

Certificate Number: 305022080903EN









Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 365 days from date of the audit. (In case surveillance audit is not allowed to be conducted; this certificate shall be suspended / withdrawn). The Validity of this certificate can be verified at www.qrocert.org

This certificate of registration remains the property of QRO Certification LLP, and shall be returned immediately upon request.

India Office : QRO Certification LLP 142, IInd Floor, Avtar Enclave, Near Paschim Vihar West Metro Station, Delhi-110063, (INDIA) Website : www.qrocert.org, E-mail : info@qrocert.org


		भारत सरकार overnment of Inc घु एवं मध्यम उद्यम o, Small and Mec	मंत्रालय	25	गुरुम , लघु एवं स्टब्स संदम , लघु एवं स्टब्स स्टार , असत्य कार्यस्य मनग	
RE	GISTRA	JDYAN		TE		
	ur small hands to hake you LARGE			Ť.	A	1
UDVAM REGISTRATION NUMBER		UD	YAM-TN-03-007370)6		
NAME OF ENTERPRISE		M/S NATU	TRE SCIENCE FOUNI	DATION		
TYPE OF ENTERPRISE *		MICRO				
MAJOR ACTIVITY	SERVICES					
SOCIAL CATEGORY OF ENTREPRENEUR	GENERAL					
NAME OF UNIT(S)	S.No. Name of Unit(s) Green Campus, Energy and Environment Management Audits					
OFFICAL ADDRESS OF ENTERPRISE	FlatiDoor/Block No. Village/Town Road/Street/Lane State Mobile	LIG-IL2669 Gandhimsanagar S.O Peelamedu TAMIL NADU 9566777255	Name of Premises/ Buil Block City District Email:	ding	GANDHIMAA NAGAR LIG-II Coimbatore South COIMBATORE , Pin 64100 chairmanasf@gmail.com	4
DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE			28/11/2017			
DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS			12/03/2020			
NATIONAL INDUSTRY CLASSIFICATION CODE(S)	SNo. NIC 2 Digit 1 69 - Legal and accounting activities 2 85 - Education	6920 - Accounting, boo		auditing a	NIC 5 Digit ccounting, bookkeeping and ctivities ultural education	Activity Services Services
	3 85 - Education	8549 - Other education	I B.C.C.	85499 - O	ther educational services	Services
DATE OF UDVAM REGISTRATION			26/02/2022			
⁶ In case of graduation (upward'reverse) of status 26.06.2020 issued by the MVo MSME. Disclaimer: This is computer g For any assistance, you may contact: 1. District Industries Centre: COIMBA	and the second second second second				iing- 2602/2022	
2. MSME-DI: CHENNA Visit : www.msme.gov.in ; www.dcm	10000	nampions.gov.in			BE A CHAMPI with the Ministry MSM	ON e of



Please Update Your Profile

Welcome, Nature Science Foundation

Your Unique Id: TN/2018/0187711



		25-	
OFFICE OF THE Azyakar Bhawan,	GOVERNMENT OF IND INCOMPTAX DEPARTMI COMMISSIONER OF INCOI Annexe III Floor, 121 M.G.	ENT ME TAX (EXEMPTIONS)	norma autoriana de la composición de la compos
RNO. AACTN78573/05/18-19/T-	1105/80G	Date:	10.04.2019
Name of the Trust-/Society /Company/Institution	: NATURE SCIENCE F		
Address	: LIG II 2669, GANDHIN COIMBATORE - 641 0	AA NAGAR, PEELAMEE	Pon done
PAN	: AACTN7857J		
Date of Application	: 12.11.2018	R	17/07/2019

APPROVAL UNDER SECTION 80G(5)(VI) OF THE INCOME TAX ACT, 1961

The sforesaid Trust-/Society/Company/Institution has been registered u/s.12AA of the Income Tax Act with effect from 29.11.2017 vide AACTN7857J/05/18-19/T-1105 dated 03.09.2018. It is certified that donation made to NATURE SCIENCE FOUNDATION at LIG II 2669, GANDHIMAA NAGAR, PEELAMEDU, COIMBATORE - 641 004 shall qualify for deduction u/s 80G(5)(vi) of the Income Tax Act, 1961, subject to the fulfillment of conditions laid down in clauses [i] to [v] of sub-section (5) of section 80G of the LT Act, 1961.

2 This approval shall be valid in perpetuity with effect from A.Y. 2019-20 unless specifically withdrawn. The details and validity of the certificate is available @ office.incometaxindia.gov.in

3. The Return of Income along with the Income & Expenditure Account, Receipts and Payments Account and Balance Sheet should be submitted annually to the Assessing Officer having jurisdiction over the case.

 No change in the Trust Deed/Memorandum of Association shall be effected without the prior approval of the undersigned i.e. Commissioner of Income Tax (Exemptions), Chennai.

5. Every receipt issued to a donor shall bear the Unique Registration Number Le. URNo. AACTN7857J/05/18-19/T-1105/80G and date of this order i.e. 10.04.2019.

6. Under the provisions of section 80G(5)(i)(a), the institution/fund registered u/s.12A, u/s.12AA(1)(b) or approved u/s.10(23C), 10(23C)(vi)(via), etc., shall have to maintain separate books of accounts in respect of any business activity carried on and shall intimate this office within one month about commencement of such activity.

Sdl-(G.M.DOSS, I.R.5) Commissioner of Income Tax (Exemptions) Chennal.

Copy to: 1. The applicant 2. Guard File

3. The DCIT(Exemptions) Coimbatore Circle.
 //Certified True Copy//

al. (N. SRINIVASA RAO)


Assistant Commissioner of Income-tax (H.grs) (Exemptions), Chennal

FORM NO. 10AC

(See rule 17A/11AA/2C)

Order for registration

1	PAN	AACTN7857J			
2	Name	NATURE SCIENCE FOUNDATION			
2a	Address				
	Flat/Door/Building	LIG-II, 2669			
	Name of premises/Building/Village	GANDHIMAA NAGAR			
	Road/Street/Post Office	Coimbatore South			
	Area/Locality	COIMBATORE			
	Town/City/District	Gandhimaanagar S.O			
	State	Tamil Nadu			
	Country	INDIA			
	Pin Code/Zip Code	641004			
3	Document Identification Number	AACTN7857JE2021501			
4	Application Number	739995830271021			
5	Unique Registration Number	AACTN7857JE20215			
6	Section/sub-section/clause/sub-clause/proviso in which registration is being granted	01-Sub clause (i) of clause (ac) of sub -section (1) of section 12A			
7	Date of registration	03-11-2021			
8	Assessment year or years for which the trust or institution is registered	From AY 2022-23 to AY 2026- 2027			
9	Order for registration:				
	a. After considering the application of the applica record, the applicant is hereby granted registration year mentioned at serial no 8 above subject to the number 10.	n with effect from the assessment			
	b. The taxability, or otherwise, of the income of the applicant would be separately considered as per the provisions of the Income Tax Act, 1961.				
	c. This order is liable to be withdrawn by the press found that the activities of the applicant are not go in accordance with all or any of the conditions sul found that the applicant has obtained the registrat facts or it is found that the assessee has violated a Income Tax Act, 1961.	enuine or if they are not carried out bject to which it is granted, if it is ion by fraud or misrepresentation of			
10	Conditions subject to which registration is being	granted			
	The registration is granted subject to the following	g conditions:-			





Certificates of Energy Auditors

- 1. ISO Environment Management System (14001:2015) of Mrs. S. Rajalakshmi, Founder & Chairman of NSF.
- 2. Indian Green Building Council (IGBC AP) Accredited Professional of Dr. B. Mythili Gnanamangai, Vice-Chairman of NSF.
- 3. Associated Chambers of Commerce and Industry of India (ASSOCHAM), of Dr. B. Mythili Gnanamangai, and Er. Ashutosh Kumar Srivastava, Board of Directors (North Zone) of NSF.
- 4. Bureau of Energy Efficiency (BEE), LEED AP and GRIHA Certificates of Er. D. Dinesh kumar, Energy Auditor of NSF.
- 5. ISO Energy Management System (50001:2018) of Dr.D. Vinothkumar, Joint Director of NSF



Certificate of Training

SUST

TNV hereby certifies that

S. Rajalakshmi

has successfully completed the 5 days

Auditor / Lead Auditor Training Course which meets the training requirements of the Exemplar Global and has been declared as competent in the following competency units

- EM: Environmental Management System
 - AU: Management Systems Auditing
- TL: Leading Management Systems Audit Teams

ISO 14001:2015

Issue Date: 17th Jun. 2021 Training Date : 20th to 24th May. 2021 Certificate Number : 2106170721010105

> Authorised Signatory (Pragyesh Singh)

This course is certified by Exemplar Global vide registration number, TN0066

Note: The course conforms to the principles and practice the second seco











BUREAU OF ENERGY EFFICIENCY



Examination Registration No. : EA-14056 Serial Number. 9176
Certificate Registration No. : 9176

Certificate For Certified Energy Manager

This is to certify that Mr./Mrs./Ms. Dinesh Kumar D Son/Daughter of Mr./Mrs. R M Dhanasekaran who has passed the National Examination for certification of energy manager held in the month of October 2011 is qualified as certified energy manager subject to the provisions of Bureau of Energy Efficiency (Certification Procedures for Energy Managers) Regulations, 2010.

This certificate shall be valid for five years with effect from the date of award of this certificate and shall be renewable subject to attending the prescribed refresher training course once in every five years.

His /Her name has been entered in the Register of certified energy manager at Serial Number .9176 being maintained by the Bureau of Energy Efficiency under the aforesaid regulations.

Mr./Mrs./Ms. Dinesh Kumar D is deemed to have qualified for appointment or designation as energy manager under clause (/) of Section 14 of the Energy Conservation Act, 2001 (Act No.52 of 2001).

Ste

Digitally Signed: RAKESH KUMAR RAI Sun Mar 01 10:58:55 IST 2020 Secretary, BEE New Delhi Secretary Bureau of Energy Efficiency New Delhi

Dates of attending the refresher course	Secretary's Signature	Dates of attending the refresher course	Secretary's Signature
22.12.2019	Ole-		



ISSUED.

VALID THROUGH

25 DEC 2022

Mahesh Raman

MARESH RAMANUJAM PRESIDENT & CEO, U.S. GREEN BUILDING COUNCIL PRESIDENT & CEO, GREEN BUSINESS CERTIFICATION INC.

	ENERGY IS LIFE CONSERVE IT
	ऊर्जा दक्षता ब्यूरो
	BUREAU OF ENERGY EFFICIENCY
	विद्युत मंत्रालय, भारत सरकार MINISTRY OF POWER, GOVERNMENT OF INDIA
	प्रमाणित किया जाता है कि
	श्री/श्रीमती दिनेश कुरगर ने ऊर्जा संरक्षण भवन निर्माण संहिता के लिए 7 दिशंबर 16 से 8 दिशंबर 16 तक एमएनआईटी / सीईपीटी / आईआईआईटी
	द्वारा आयोजित मास्टर ट्रेनर सर्टिफिकेट कार्यक्रम को सफलता पूर्वक सम्पन्न कर लिया है।
1	Shri/Smthas successfully
	completed the Master Trainer Certificate Programme conducted by MNIT / CEPT / IIIT
	from 7 December 16 to 8 December 16 for the Energy Conservation Building Code.
5	1
T	तई दिल्ली, <u>17 JUL 2017</u> अग्राधियेगर
'the	New Delhi,
on O	nePlus





Certificate of Successful Attainment

This is to certify that

DR. D. VINOTH KUMAR

HAS SUCCESSFULLY COMPLETED THE FIVE DAYS (40 HOURS)

LEAD AUDITOR COURSE

BY PASSING THE WRITTEN EXAMINATION BASED ON

ISO 50001:2018

ENERGY MANAGEMENT SYSTEMS

Examination Date: 15/07/2022 Certificate issue Date: 22/07/2022 Certificate registration number: QCS/TR/C/0056 Total Course duration: 40 hours CPD Credits Earned: 32

Remarks: Roughly one hour of study time equals to 1 CPD Credit.

This certificate can be validated online from the industry wide Global Professional Register at www.qcspl.com.

Partha Bagchi (Managing Director)

QCS MANAGEMENT PVT LTD

Accredited by "CPD Accreditation Office UK" H.O: 37E/1(310) 2ND STREET, MODERN PARK, SANTOSHPUR, KOLKATA-700075, WEST BENGAL, INDIA BRANCHES: INDONESIA, BANGLADESH, QATAR, SAUDI ARABIA, TURKEY, UAE WHATTS APP: +918697724963/+918902447427, EMAIL:info@qcspl.com, WEB: www.qcspl.com

